

# Invitation to the BCLC Workshop 21-22/7/2021

Carsten Hensel for the Organizing Committee



### What's BCLC?

### Brazilian Center for Linear Collider Studies




# Isn't the Linear Collider Something far in the future?

### ILC Status as of 2019 KEK report

Recommendations on ILC Project Implementation

High Energy Accelerator Research Organization (KEK)


- · ILC is a next-generation experimental facility to explore fundamental laws of the universe.
- · importance of e+e- collider has been long recognized
- global design team, GDE, was set up under ICFA for design and coordination of R&D in 2005
- · KEK proposed in 2012 that Japan should host ILC which was welcomed by HEP community
- · ILC Technical Design Report was completed in 2013
- ICFA then established Linear Collider Collaboration, LCC, and the Linear Collider Board, LCB,
  - · LCC combines ILC and CLIC
- 2020: ICFA reconfirms the international consensus for a Higgs factory and wishes to see the timely construction of the ILC in Japan.




### What is the plan for the ILC?

# Technical Aspects according to 2013 TDR

- · 2x11 km linear accelerators
- √s ~ 250-500 GeV
- · long. polarized beams (30/80)
- instead of two IP, two detectors in push-pull configuration
  - · SiD: compact detector
  - · SLD: larger detector
- · check out TDR for more details





### How can I contribute?

### Joining Studies For Next-gen e-e- Collider

ILC allows for various levels of contributions

- · study physics analyses of e+e- reactions
  - · probably the easiest way to contribute
  - · requires membership to have access to existing MC
- · study reconstruction of particle signals in e+e- environment (detector design)
  - · requires a much closer connection to existing groups
- study of state of the art detector components & new technologies for high precision measurements
  - · This one might be pricey depending on the situation at your home institutes.

## Examples For Open Topics see ILC Study: Questions for Snowmass 2021

- Are LO parton-level generators sufficient for high-precision jet measurements?
- · How can eve- -> Zh be separated from eve- -> ZZ ?
- · What precision can be reached when measuring the ttbar threshold?
- · Which options are left for new eve- -> ff s-channel resonances?
- · Can we improve the W mass measurement precision at 250 GeV?
- · Study the Giga-Z (200 x LEP) case.

• ...

· Quite a few topics available.

· Coordinate with the corresponding groups!

DESY 20-112, KEK Preprint 2020-8, IFIC/20-34, LCTP-20-14 SLAC-PUB-17543

ILC Study Questions for Snowmass 2021

LCC Physics Working Group

Keisuke Fujii<sup>1</sup>, Christophe Grojean<sup>2,3</sup>, Michael E. Peskin<sup>4</sup>
(Conveners); Tim Barklow<sup>4</sup>, Yuanning Gao<sup>5</sup>, Shinya Kanemura<sup>6</sup>,
Jenny List<sup>2</sup>, Mihoko Nojiri<sup>1,7</sup>, Maxim Perelstein<sup>8</sup>, Roman Pöschl<sup>9</sup>
Jürgen Reuter<sup>2</sup>, Frank Simon<sup>10</sup>, Tomohiko Tanabe<sup>1</sup>,
James D. Wells<sup>11</sup> (Physics WG); Mikael Berggren<sup>2</sup>,
Esteban Fullana<sup>12</sup>, Juan Fuster<sup>12</sup>, Frank Gaede<sup>2</sup>, Stefania Gori<sup>13</sup>
Daniel Jeans<sup>1</sup>, Adrián Irles<sup>9</sup>, Sunghoon Jung<sup>14</sup>, Shin-Ichi Kawada<sup>2</sup>
Shigeki Matsumoto<sup>7</sup>, Chris Potter<sup>15</sup>, Jan Strube<sup>15,16</sup>
Taikan Suehara<sup>17</sup>, Jupping Tian<sup>18</sup>, Marcel Vos<sup>12</sup>,
Graham Wilson<sup>19</sup>, Hitoshi Yamamoto<sup>20</sup>, Ryo Yonamine<sup>20</sup>,
Aleksander Flip Žarnecki<sup>21</sup> (Contributors);

### BSTRACT

To aid contributions to the Snowmass 2021 US Community Study on physics at the International Linear Collider and other proposed  $e^+e^-$  colliders, we present a list of study questions that could be the basis of useful Snowmass projects. We accompany this with links to references and resources on  $e^+e^-$  physics, and a description of a new software framework that we are preparing for  $e^+e^-$  studies at Snowmass.

# Why BCLC?

### What's next?

This is for everyone already contributing or thinking about contributing!


- · The ILC efforts make it easy to contribute as a single person.
- · But maybe we should consider to contribute as a group?
  - Brazilian LC group
  - · (South American LC group)
- · Sharing and organizing resources might be the most efficient way to contribute recognizably and make an impact.
  - · This is especially true for everyone working on other projects as well.

### Proposal: BCLC

### Brazilian Center for Linear Collider Studies


- · virtual community to foster, support and coordinate LC studies in Brazil
  - · not attached to any institute
  - · bring theory and experiment together
  - · (Seed efforts for a Similar group within South America)
- · represent LC efforts in Brazil and speak with one voice
- · keep track of expertise
- · share resources and reduce overhead
- · organize events
  - · Seminar's cinvited speaker's from abroads


  - lecturesworkshops



### BCLC Workshop 21-22/7/2021 BCLC Kick-off Event

- · 2 day online workshop with the goal to establish BCLC
- · day I Lowering the threshold How to get involved?
  - · ILCSoft tutorial
  - · discussion on technical aspects
- · day 2 ILC Status and Plans
  - ILC WG3 Physics & Detector Spokespersons will be opening session
  - · presentations from South American contributors







Hope to see you talk to you next week!

### Additional Information

## Joining Sid and ILD what does it cost?

- Money is always and everywhere an issue.
   Especially true when colleagues have to fear that ILC contributions might siphon off resources.
- Both SiD and ILD offer lightweight guest membership.
- · guest membership is free!
- · requires to adhere to publication rules

Topic	Parameter	Accuracy $\Delta X/X$	
Higgs	$m_{ m h}$	0.03%	$\Delta m_{ m h}=$ 35 MeV, 250 GeV
	$\Gamma_{ m h}$	1.6%	250 GeV and 500 GeV
	g(hWW)	0.24%	
	g(hZZ)	0.30%	
	$g(hbar{b})$	0.94%	
	$g(hcar{c})$	2.5%	
	g(hgg)	2.0%	
	$g(h au^+ au^-)$	1.9%	
	`	< 0.30% (95% conf.)	
	$g(htar{t})$	3.7%	1000 GeV
	g(hhh)	26%	
	$g(h\mu^+\mu^-)$	16%	
Тор	$m_{ m t}$	0.02%	$\Delta m_{ m t}=$ 34 MeV, threshold scan
	$\Gamma_{ m t}$	2.4%	
	$ ilde{F}_{1N}^{\gamma}$	0.2%	500 GeV
	$ ilde{F}_{1N}^{ ilde{Z}_{1N}^{oldsymbol{v}}}$	0.3%	
	$ ilde{F}_{1.\Lambda}^{ ilde{Z}_{1.\Lambda}^{ ext{y}}}$	0.5%	
	$ ilde{F}_{\mathrm{ov}}^{\gamma A}$	0.3%	
	$\Gamma_{ m t} \  ilde{F}_{ m 1V}^{\gamma} \  ilde{F}_{ m 1V}^{Z} \  ilde{F}_{ m 1A}^{Z} \  ilde{F}_{ m 2V}^{\gamma} \  ilde{F}_{ m 2V}^{Z}$	0.6%	
$\overline{W}$	$m_{ m W}$	0.004%	$\Delta m_{ m W}=$ 3 MeV, threshold scan
	$g_1$	0.16%	500 GeV
	$\kappa_\gamma$	0.03%	
	$\kappa_{ m Z}^{'}$	0.03%	
	$\lambda_{\gamma}$	0.06%	
	$\lambda_{ m Z}^{'}$	0.07%	
$H^0$ , $A^0$	$m_{ m H}$ , $m_{ m A}$	1.5%	
,	aneta	20%	
$\widetilde{\chi}^+$	$m(\widetilde{\chi}^+)$	1%	
7	$m(\widetilde{\widetilde{\chi}}^0)$	1%	
$\widetilde{t}$	$m(\widetilde{t})$	1%	
U	$\cos heta_{ m t}$	0.4%	
	COSOT	0.7/0	

### Abbreviations

- · ILC International Linear Collider
- · LCC Linear Collider Collaboration
- · SiD Silicon Detector (Detector for ILC)
- · ILD International Large Detector
- ECFA/ACFA/ICFA Eropean/Asian/International Committee for Future Accelerators
- · CLIC Compact Linear Collider